



DISCOVER OUR LATEST 60V MAX FLEX-FORCE TOOLS AND YARD TECH  
WALK POWER MOWER | SNOW BLOWERS |  
PORTABLE POWER TOOLS

60V MAX  
FLEX-FORCE  
POWER SYSTEM



ONE POWERFUL BATTERY  
**75+**  
INTERCHANGEABLE  
TOOLS



# ALL-SEASON POWER FULLY INTERCHANGEABLE BATTERY

Cordless power this amazing deserves a line of tools as equally amazing. And they all need to work together—in high-powered harmony. Done and done. Just like every job on your yard to-do list.

## 60 VOLTS OF AWESOME

Easy. Fast. Quiet. No engine exhaust. No hassles. No cords. Virtually no maintenance. The battery-powered lawn equipment you've always wanted is here.

## FLEXIBLE POWER

Fully interchangeable battery works across an entire team of unbeatable electric Toro tools, from handhels all the way up to the biggest, baddest, most power hungry in our lineup.

## MORE PERFORMANCE

The Flex-Force Power System feature brushless motors, delivering higher max performance so you get to push your tools harder, for longer.



## WALK POWER MOWER

RESIDENTIAL STRIPE™ | RECYCLER® | SUPER RECYCLER® | eTIMEMASTER®

America's #1 selling walk mower brand\*

Exclusive features such as Personal Pace® Auto-Drive, SmartStow®, and Vortex Technology™

Lightweight synthetic, durable steel, and rust-proof, cast-aluminum deck options

## SNOW BLOWERS

RESIDENTIAL POWER SHOVEL® | POWER CLEAR® | POWER MAX®

America's #1 selling snow blower brand†

Self-propelled power takes the burden off your legs and back

Panoramic LED lighting fires up the night or the wee hours of morning

## PORTABLE POWER TOOLS

RESIDENTIAL BLOWERS | TRIMMERS | CHAINSAWS | EDGER AND MORE!

3-phase brushless motor with RunSmart® onboard intel optimizes RPM and torque for more power, more runtime, and longer life from each tool

Interchangeable battery works with a full line of unbeatable battery-powered yard tools

Durable high-impact heads, with comfort grip handles



REVOLUTION™

## PROFESSIONAL PRODUCTS

WALK MOWERS | SNOW BLOWER | BACKPACK BLOWERS | TRIMMERS

Toro's entire line of 60V Revolution™ professional products uses the same power source as 60V Flex-Force Power System® products, giving you even more options for your arsenal of productivity.



**NEW!** 60V MAX<sup>\*</sup> FLEX-FORCE WALK POWER MOWER | STRIPE™

# STRIPE™

**IT CUTS A MEAN STREAK**

Introducing the new Toro 60V Max<sup>\*</sup> Stripe™ mower that's cutting circles around the competition.

## SIMPLE. STUNNING. STRIPING.

Pro-level striping to deliver a statement-making, neighbor-envying lawn while redefining mowing in a powerful way.



### DUAL BLADES

Surgically cut and recut grass into fine clippings. Less work for you no matter what kind of grass you have.



### LIGHTWEIGHT 21" DECK

25%<sup>†</sup> lighter than other battery-powered mowers, making it easy to steer and create the perfectly striped lawn.



### LIGHT AND BRIGHT

Front dual LED headlights equip you to get the job done anytime, day or night.

MODEL / BARE TOOL	PRO-LEVEL STRIPING			
	PUSH <b>NEW!</b>	SELF-PROPEL <b>NEW!</b>	SELF-PROPEL <b>NEW!</b>	DUAL BLADE SELF-PROPEL <b>NEW!</b>
	21611 / 21611T	21620 / N/A	21621 / 21621T	21623 / 21623T
DECK SIZE	21" / 53 cm			
DECK MATERIAL	Synthetic	Synthetic	Synthetic	Synthetic
BATTERY	4.0Ah, 216 wh (L216)	» 5.0Ah, 270 wh (L270)	» 6.0Ah, 324 wh (L324)	» 7.5Ah, 405 wh (L405)
MOTOR	Brushless DC	Brushless DC	Brushless DC	Brushless DC
GRASS CUT IN A SINGLE CHARGE	Up to 1/2 acre	Up to 1/2 acre	Up to 1/2 acre	» Up to 2/3 acre
RUN TIME <sup>§</sup>	Up to 50 min	Up to 50 min	» Up to 60 min	» Up to 65 min
CHARGE TIME	205 min	230 min	300 min	» 70 min w/Rapid Charger
DRIVE SYSTEM	Push	» Self-Propel Rear Wheel Drive	Self-Propel Rear Wheel Drive	Self-Propel Rear Wheel Drive
TORO PERFORMANCE WARRANTY**	3-Year Limited Battery; 2-Year Limited Mower			
FEATURES				
CUTTING SYSTEM	Recycler	Recycler	Recycler	Recycler
BUILT-IN STRIPING TECHNOLOGY	✓	✓	✓	✓
DUAL BLADE TECHNOLOGY	-	-	-	» ✓
SUPER BAGGER	-	» ✓	✓	✓
TRACTION HIGH WHEEL	✓	✓	✓	✓
SMARTSTOW®	✓	✓	✓	✓
LED LIGHTS	-	-	» ✓	✓
PUSH BUTTON START	✓	✓	✓	✓
RAPID CHARGER	-	-	-	» ✓
HEIGHT OF CUT	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm
WHEEL HEIGHT	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm
HANDLE	1 Piece, Adjustable Height			
WEIGHT	65 lbs. / 29.5 kg	71 lbs. / 32.2 kg	72 lbs. / 32.7 kg	73 lbs. / 33.1 kg

» Enhanced or step-up feature

<sup>\*</sup>Based on average TraiQline dollar share for walk behind mower market from 2017 - 2021. <sup>†</sup>Weight savings is compared to a Toro 60V Recycler walk power mower (model 21466T). <sup>§</sup>Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. <sup>¶</sup>Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings. <sup>\*\*</sup>See dealer for complete warranty details.

# DOES EVERYTHING GAS CAN MINUS THE GAS CAN

America's #1 selling walk mower brand<sup>®</sup>, Toro, offers all the legendary performance and durability you expect from a Toro, with the compatibility of the Flex-Force Power System<sup>™</sup>. These dominant, battery-operated lawn mowers come with our interchangeable battery allowing you to use your Toro 60V Max<sup>®</sup> battery seamlessly with more than 75 other products in Toro's Flex-Force yard tool lineup.



RECYCLER<sup>®</sup>  
CUTTING SYSTEM

## RECYCLER<sup>®</sup> WALK POWER MOWERS

21" and 22" durable steel decks

Recycler<sup>®</sup> Cutting System feeds your lawn Lawn Vitamins<sup>™</sup>, fine clippings that nourish your grass

Push, self-propel rear wheel drive and Personal Pace<sup>®</sup> Auto-Drive<sup>™</sup> rear wheel drive options available



SUPER RECYCLER<sup>®</sup>  
CUTTING SYSTEM

## SUPER RECYCLER<sup>®</sup> WALK POWER MOWERS

Durable rust-proof, cast-aluminum deck

Super Recycler<sup>®</sup> Cutting System features dual blade accelerators and under-deck bumpers to shave clippings to an ultra-fine mulch, adding nutrients to your lawn

Glide over holes and bumps with ease with Toro's FLEX Handle<sup>™</sup> suspension



eTIMEMASTER<sup>®</sup>  
DUAL-FORCE CUTTING SYSTEM

## eTIMEMASTER<sup>®</sup> WALK POWER MOWERS

30" steel deck with cast-aluminum frame reduces mowing time up to 40%<sup>™</sup>

Tackle tall grass and rough terrain with Dual-Force<sup>™</sup> dual blade technology and 2 - 10.0 ah, 540 wh batteries

Save space with the Quick Stow fold-up handle



No knobs, no levers, no learning—self-propel evolved. Grab the easy-to-steer handle and go.

AVAILABLE ON  
RECYCLER | SUPER RECYCLER | eTIMEMASTER



More airflow to supercharge your grass cutting. Ultra-fine clippings provide a nourished, greener, more lush lawn.

AVAILABLE ON  
RECYCLER | SUPER RECYCLER



Save up to 70% floor space<sup>™</sup> in the garage or shed for toys, tools and things that really matter.

AVAILABLE ON  
RECYCLER | SUPER RECYCLER



Shaped for easier lifting, no-shake dumping and holds more clippings so you empty less often.

AVAILABLE ON  
RECYCLER | SUPER RECYCLER



Front dual LED headlights equip you to get the job done anytime, day or night.

AVAILABLE ON  
RECYCLER | SUPER RECYCLER | eTIMEMASTER



Provides control and easier maneuverability through turns with greater precision over uneven terrain.

AVAILABLE ON  
RECYCLER | SUPER RECYCLER



MODEL / BARE TOOL	RECYCLER®					SUPER RECYCLER®		eTIMEMASTER®	
	LIGHT DUTY		MEDIUM DUTY			CAST-ALUMINUM	30" WIDE-AREA		
	PUSH <b>NEW!</b>	SELF-PROPEL <b>NEW!</b>	SELF-PROPEL	PERSONAL PACE® AUTO-DRIVE™ <b>NEW!</b>		PERSONAL PACE® AUTO-DRIVE™	PERSONAL PACE® W/TRACTION ASSIST <b>NEW!</b>		
	21323 / 21323T	21326 / 21326T	21357	21466 / 21466T	21467 / 21467T	21568 / 21568T	21491 / 21491T	21493	
DECK SIZE	21" / 53 cm	21" / 53 cm	21" / 53 cm	22" / 56 cm	22" / 56 cm	21" / 53 cm	30" / 76 cm	30" / 76 cm	
DECK MATERIAL	Steel	Steel	Steel	Steel	Steel	» Cast-Aluminum	» Steel Deck, Cast-Aluminum Frame		
BATTERY*	4.0Ah, 216 wh (L216)	» 5.0Ah, 270 wh (L270)	5.0Ah, 270 wh (L270)	» 6.0Ah, 324 wh (L324)	6.0Ah, 324 wh (L324)	» 7.5 ah, 405 wh (L405)	» 2 - 10.0 ah, 540 wh (L540)	» 10.0 ah, 540 wh (L540) + 5.0Ah, 270 wh (L270) + 2.5Ah, 135 wh (L135)	
MOTOR	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	Brushless DC	
GRASS CUT IN A SINGLE CHARGE	Up to 0.33 acre	Up to 0.33 acre	Up to 0.33 acre	» Up to 0.67 acre	Up to 0.65 acre				
RUN TIME <sup>§</sup>	Up to 42 min	» Up to 43 min	Up to 43 min	Up to 40 min	Up to 40 min	» Up to 50 min	» Up to 65 min	Up to 58 min	
CHARGE TIME	205 min	230 min	120 min	160 min	160 min	180 min	250 min	250 min	
DRIVE SYSTEM	Push	» Self-Propel Rear Wheel Drive	Variable Speed Rear Wheel Drive	» Personal Pace® Auto-Drive™ Rear Wheel Drive	Personal Pace Auto-Drive Rear Wheel Drive	Personal Pace Auto-Drive Rear Wheel Drive	Personal Pace Auto-Drive w/ Traction Assist Handle	Personal Pace Auto-Drive w/ Traction Assist Handle	
TORO PERFORMANCE WARRANTY***	3-Year Limited Battery; 2-Year Limited Mower	3-Year Limited Battery; 2-Year Limited Mower	» 3-Year Limited Battery; 5-Year Limited Mower	3-Year Limited Battery; 3-Year Limited Mower	3-Year Limited Battery; 3-Year Limited Mower				
FEATURES									
CUTTING SYSTEM	Recycler	Recycler	Recycler	Recycler	Recycler	» Super Recycler	» Dual-Force™ Dual Blade Technology		
VORTEX TECHNOLOGY™	-	-	-	» ✓	✓	✓	-	-	
SUPER BAGGER	-	-	-	» ✓	✓	✓	-	-	
BAG ON DEMAND	-	-	-	» ✓	✓	-	-	-	
TRACTION HIGH WHEEL	✓	✓	-	» ✓	✓	✓	-	-	
SMARTSTOW®	✓	✓	✓	✓	✓	✓	-	-	
LED LIGHTS	-	-	-	-	» ✓	✓	✓	✓	
PUSH BUTTON START	✓	✓	✓	✓	✓	✓	✓	✓	
HEIGHT OF CUT	1.25" to 3.75" / 3.2 - 9.5 cm	1.25" to 3.75" / 3.2 - 9.5 cm	1.25" to 3.75" / 3.2 - 9.5 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.0" - 4.0" / 2.5 - 10 cm	1.25" - 4.25" / 3.2 - 10.8 cm 2-point	1.25" - 4.25" / 3.2 - 10.8 cm 2-point	
WHEEL HEIGHT	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	7" Front / 17.8 cm 8" Rear / 20.3 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front / 20.3 cm 10" Rear / 25.4 cm	8" Front/ 20.3 cm 10" Rear/25.4 cm	8" Front/ 20.3 cm 10" Rear/25.4 cm	
HANDLE	SmartStow, 1 Piece, Adjustable Height	SmartStow, 1 Piece, Adjustable Height	Flex Handle Suspension, Adjustable Height	Quick Stow 90° Storage, Adjustable Height	Quick Stow 90° Storage, Adjustable Height				
WEIGHT	64 lbs. / 29.0 kg	65 lbs. / 29.5 kg	66 lbs. / 29.9 kg	85 lbs. / 38.6 kg	85 lbs. / 38.6 kg	90 lbs. / 40.8 kg	161 lbs. / 73.0 kg	160 lbs. / 72.6 kg	

» Enhanced or step-up feature

\*Based on average TraLine dollar share for walk behind mower market from 2017 - 2021. \*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. \*\*Time savings via wider cutting path and enhanced speed of eTimeMaster vs. 21" Toro mower, and will vary due to mowing conditions. \*Space savings are in relation to the space consumed by a Toro 22" mower that is stored with the handle in the standard operating position. †Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings. \*\*\*See dealer for complete warranty details.

## 60V MAX FLEX-FORCE® SNOW BLOWERS



# FEAR NO STORM

If you've never experienced a Flex-Force® 60V snow blower before, you're in for a battery-powered snow-destroyin' treat. Toro's battery powered snow blowers and cordless power shovels are all the machine you need to take winter by storm. Each comes with a 3-phase brushless motor, giving you more power, more runtime, and longer life from your tool.



### POWER SHOVEL®

Easy to maneuver, convenient, and cordless snow clearing

Two speeds provide more power when you want it, and more control when you need it



### POWER CLEAR® SINGLE-STAGE

Patent-pending all-steel Power Edge Auger rips through tough snow  
Cut through 2-9" of heavy, wet snow and throw it up to 40 feet\*\*

Clear up to 12 car driveway on a single charge<sup>§</sup>



	POWER SHOVEL®	POWER CLEAR®		POWER MAX®	
	LIGHTWEIGHT	POWER CLEAR MAX	SELF-PROPEL POWER CURVE®	HEAVY-DUTY STEEL CONSTRUCTION	
MODEL / BARE TOOL	39909 / 39909T	39901 / 39901T	39921 / 39921T	39924 / N/A	39926 / 39926T
CLEARING WIDTH	12" / 30.5 cm	» 21" / 53.3 cm	21" / 53.3 cm	» 24" / 61.0 cm	» 26" / 66.0 cm
CLEARING CAPACITY**	Decks, steps, patios and up to 4 parked cars	» Up to 12 parked cars	» Up to 15 parked cars	» Up to 24 parked cars (12 cars per battery) Up to 15 cars more with additional 3rd battery	» Up to 30 parked cars (15 cars per battery) Up to 15 cars more with additional 3rd battery
BATTERY	2.5 ah, 135 wh (L135)	» 7.5 ah, 405 wh (L405)	» 1 x 7.5 ah, 405 wh (L405) + 1 x 2.5 ah, 135 wh (L135)	» 2 x 6.0 ah, 324 wh (L324)	» 2 x 7.5 ah, 405 wh (L405)
SNOW CUT DEPTH	6" / 15.2 cm	» 12" / 30.5 cm	12" / 30.5 cm	» 20" / 50.8 cm	20" / 50.8 cm
CHARGE TIME	60 min	180 min	180 min	150 min	180 min
THROWING DISTANCE**	Up to 25' / 7.6 m	» Up to 40' / 12.2 m	Up to 35' / 10.7 m	» Up to 45' / 13.7 m	Up to 45' / 13.7 m
AUGER SYSTEM	Power Curve	Patent Pending Power Edge™	» Power Curve® Self-Propel	» Power Max® Anti-Clogging System	
AUGER DIAMETER	6.5" / 16.5 cm	» 7" / 17.8 cm	» 8.5" / 21.6 cm	» 11" / 27.9 cm	
IMPELLER DIAMETER	-	-	-	11" / 27.9 cm	
AUGER GEARBOX	-	-	-	» Hardened Gears; No Shear Pins	
HANDLE	-	Adjustable	Ergonomic	Standard	
DEFLECTOR	-	Locking	Locking	Single	
CHUTE CONTROL	-	Quick Turn	Chute Mounted	» Quick Stick®	
CHUTE CONSTRUCTION	-	Sub Zero Curved Chute	» High Capacity Chute	» Steel	
TIRES	-	6 7/8" x 2" 17.5 cm x 5.1 cm	» 7" / 17.8 cm	» 15" / 38.1 cm	
HANDWARMERS	-	-	-	-	» Standard
LIGHT	-	Panoramic LED	Panoramic LED	LED	LED
WARRANTY***	3-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	2-Year Limited, 3-Year Battery	3-Year Limited, 3-Year Battery	3-Year Limited, 3-Year Battery

### POWER MAX® TWO-STAGE SNOW BLOWERS

Same rugged, heavy-duty steel construction as Toro gas-powered snow blowers  
LED lights, hardened gears and no shear pins

The only snow blower with three battery ports, Clear up to a 45 car driveway on a single charge.<sup>§</sup>

» Enhanced or step-up feature

<sup>§</sup>Based on average TraQline dollar share for snow blower market from 2013 - March 2021. \*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. <sup>§</sup>Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings. <sup>\*\*</sup>Throw distance and clearing capacity will vary with conditions. <sup>\*\*\*</sup>See dealer for complete warranty details.

## 60V MAX FLEX-FORCE® ATTACHMENT CAPABLE TOOL SYSTEM

# EARN A PhD IN PRODUCTIVITY

The Toro Flex-Force attachment capable power head is the ultimate in versatility.

### FIVE ATTACHMENT OPTIONS

Five tools bring you interchangeable power, performance and control.

3-phase brushless motor with RunSmart® onboard intel optimizes RPM and torque for more power, more runtime, and longer life from each tool.

Each tool is backed by a 3-year warranty.

#### POWER HEAD + STRING TRIMMER

MODEL 51836

CUT WIDTH	14" - 16"
LINE	0.080" - 0.095" Dual
SPEED CONTROL	Variable
TRIMMER HEAD	Cast-Aluminum
HANDLE	Ergonomic Comfort Grip
BATTERY	2.5 ah, 135 wh (L135)
MOTOR	Brushless DC
RUN TIME†	Up to 60 minutes
CHARGE TIME	75 min
WARRANTY**	3-Year Limited Tool, 3-Year Limited Battery



#### POWER HEAD

MODEL 51810T

MOTOR	Brushless DC
WARRANTY**	3-Year Limited Tool

#### STICK EDGER ATTACHMENT

MODEL 88710

BLADE LENGTH	8"
HEAD MATERIAL	Cast-Aluminum
CUTTING DEPTH	Up to 1.75" (Adjustable)



#### HEDGE TRIMMER ATTACHMENT

MODEL 88713

BAR LENGTH	16"
CUT CAPACITY	0.75"
BLADE MATERIAL	Hardened Steel



#### POLE SAW ATTACHMENT

MODEL 88714

BAR LENGTH	10"
NUMBER OF CUTS**	100 <small>(with 2.5Ah battery incl. with 51836)</small>
LENGTH	6 ft.
CHAIN OILER	Automatic

#### CULTIVATOR ATTACHMENT

MODEL 88715

CUT WIDTH	10"
TILL DEPTH	2.5"
GEARBOX MATERIAL	Cast-Aluminum



#### STRING TRIMMER ATTACHMENT

MODEL 88716

CUT WIDTH	14" - 16"
LINE	0.080" - 0.095" Dual
SPEED CONTROL	Variable
TRIMMER HEAD	Cast-Aluminum
HANDLE	Ergonomic Comfort Grip

### IMPULSE ENDEAVOR POWER INVERTER MODEL 51860T



Charges laptops, TVs, mobile phones, gaming devices and more

Extend the use and adaptability of every Flex-Force 60V Max battery, with 330W running wattage (400W startup)

Three outlet power options: USB-A port, fast-charging USB-C port, and 120V outlet



60V MAX FLEX-FORCE® PORTABLE POWER TOOLS

# EASY TO CONTROL 60-VOLT MUSCLE THAT NEVER GETS GASSED

Toro's Flex-Force Power System® includes an interchangeable battery allowing you to use your cordless lawn equipment products seamlessly. It's the one cordless system you need to command a full line of unbeatable battery operated lawn equipment from handholds like trimmers and blowers all the way up to the biggest, baddest, most powerful mowers in our battery-powered lineup.



#1 RATED  
ELECTRIC BLOWER  
BRAND\*\*



## LEAF BLOWER

### MOVE MORE LEAVES FASTER

Clear your leaves faster with up to 605 CFM of air volume and up to 157 MPH air speed\*\*

### GET MORE POWER WHEN YOU NEED IT

Boost your power when the leaves get thick with a variable-speed trigger and turbo-boost button

### STAY COMFORTABLE

Hand cramps are a thing of the past with cruise control and an ergonomic handle

LEAF BLOWER			
MODEL / BARE TOOL	51822 / N/A	51820 / 51820T	51821 / NA
CFM (AIR VOLUME)	605 CFM	605 CFM	565 CFM
MPH (AIR SPEED)	157 mph	120 mph	110 mph
SPEED CONTROL	Variable speed, Turbo boost		
BATTERY	4.0 ah, 216 wh (L216)	2.5 ah, 135 wh (L135)	2.0 ah, 108 wh (L108)
MOTOR	Brushless DC		
RUN TIME <sup>§</sup>	Up to 140 min (Low Speed)	Up to 90 min (Low Speed)	Up to 70 min (Low Speed)
WARRANTY***	3-Year Limited Tool, 3-Year Limited Battery		

## COMBO KIT

13" | .080" LINE TRIMMER  
490 CFM | 100 MPH BLOWER  
MODEL 51881



### BLOWER TURBO BOOST PERFORMANCE

490 CFM of air volume and 100 mph air speed

### OPTIMIZE RUN TIME

Variable-speed, cruise control and turbo boost match the power to the job

### TRIMMER HIGH PERFORMANCE TRIMMING

Durable 0.080" line and productive 13" width cut

### PRECISION CONTROL

Variable-speed trigger optimizes run time and performance



## STRING TRIMMER

### PICK YOUR PERFORMANCE

Get the exact trim you want for the job by adjusting your line size and cutting length

### REPLACE YOUR LINE IN NO TIME

No spools! Just thread the line and spin the dial

### TAKE ON THE TOUGH JOBS

Power through the toughest grass with more motor torque

STRING TRIMMER		
MODEL / BARE TOOL	51830 / 51830T	51831 / 51831T
CUT WIDTH	14" - 16"	13" - 15"
TRIMMER LINE	0.095" Included	0.080" Included
SPEED CONTROL	Variable	
BATTERY	2.5 ah, 135 wh (L135)	2.0 ah, 108 wh (L108)
MOTOR	Brushless DC	
RUN TIME <sup>§</sup>	Up to 60 min	Up to 45 min
WARRANTY***	3-Year Limited Tool, 3-Year Limited Battery	

BLOWER		TRIMMER	
CFM (AIR VOLUME)	490 CFM	CUTTING WIDTH	13"
MPH (AIR SPEED)	100 mph	TRIMMER LINE	0.080" Included
RUN TIME <sup>§</sup>	Up to 60 min (Low Speed)	RUN TIME <sup>§</sup>	Up to 45 min
SPEED CONTROL	Variable Speed, Turbo Boost	SPEED CONTROL	Dual Speed
COMFORT GRIP	Standard	COMFORT GRIP	Standard
BATTERY	2.0 ah, 108 wh (L108)		
WARRANTY***	3-Year Limited Tool, 3-Year Limited Battery		



MODEL 51850

## 16" CHAINSAW

### GET MORE DONE

Cut through a 6" x 6" timber up to 50 times on a single charge\*\*

### EASY TO START

Just push the button and pull the trigger to start

### EASY TO USE

Pro-style chain tensioning with on-board tool storage and automatic chain oiler



MODEL 51840

## 24" HEDGE TRIMMER

### ROTATING COMFORT GRIP HANDLE

180° rotating handle makes vertical trimming quick, easy and comfortable with a simple push of a button

### EXCLUSIVE BLADE DESIGN

Provides a cleaner, more efficient cut

### MAKES QUICK WORK OF BIG JOBS

Tackle big jobs in less time with 24" bar and 3/4" cut capacity



MODEL 51833

## STICK EDGER

### BUILT TO LAST

Cast-aluminum motor housing with high-carbon steel blade for maximum durability

### ULTIMATE CONTROL

Variable speed trigger, adjustable cutting depth, and adjustable guide wheel for precision edging

### SUPERIOR COMFORT

Blade guard, debris-blocker, and comfort grip handle keep you clean and comfortable

16" CHAINSAW		
MODEL / BARE TOOL	51850 / 51850T	51851 / N/A
BAR LENGTH	16"	
CHAIN PITCH/GAUGE	Pitch .375" / Gauge .043"	
CHAIN OIL CAPACITY	270 ml	
CHAIN BRAKE	Electric	
CHAIN TENSIONING	Tooled (Included)	
BATTERY	2.5 ah, 135 wh (L135) 2.0 ah, 108 wh (L108)	
MOTOR	Brushless DC	
WARRANTY***	3-Year Limited Tool, 3-Year Limited Battery	

24" HEDGE TRIMMER		
MODEL / BARE TOOL	51840 / 51840T	51841 / N/A
BAR LENGTH	24"	
CUT CAPACITY	3/4"	
BLADE MATERIAL	Hardened Steel	
STROKES/MINUTE	3200	3200
HANDLE	Rotating w/Comfort Grip	
BATTERY	2.5 ah, 135 wh (L135) 2.0 ah, 108 wh (L108)	
MOTOR	Brushless DC	
RUN TIME <sup>§</sup>	Up to 60 min	Up to 45 min
WARRANTY***	3-Year Limited Tool, 3-Year Limited Battery	

STICK EDGER	
MODEL / BARE TOOL	51833 / 51833T
BLADE LENGTH	8"
BLADE MATERIAL	Heat-Treated, High Carbon Steel
CUTTING DEPTH	Up to 1" (Adjustable)
SPEED CONTROL	Variable
MOTOR HOUSING	Cast-Aluminum
BATTERY	2.0 ah, 108 wh (L108)
MOTOR	Brushless DC
RUN TIME <sup>§</sup>	Up to 45 min
WARRANTY***	3-Year Limited Tool, 3-Limited Year Battery

## POLESAW

### 10" BAR & CHAIN

Up to 80 cuts of 4"x4" timber on a single charge\*\*

### EXTENDS TO 8' REACH

3 piece aluminum pole reaches up to 8 feet

### COMFORTABLE TO USE

Standard comfort grip and protective bar cover included

10" POLESAW		
BAR LENGTH	10"	
CHAIN PITCH/GAUGE	Pitch .375" / Gauge .043"	
CHAIN OIL CAPACITY	80 ml	
CHAIN TENSIONING	Tooled (Included)	
51870 / 51870T	BATTERY	2.0 ah, 108 wh (L108)
MOTOR	Brushless DC	
WARRANTY***	3-Year Limited Tool, 3-Year Limited Battery	



MODEL 51870

\*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load.

<sup>§</sup>Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings.

\*\*Based on controlled laboratory testing. Actual number of cuts will vary with conditions. \*\*\*See retailer for complete warranty details.

60V MAX FLEX-FORCE® PROFESSIONAL PRODUCTS

REVOLUTION™

# POWER FOR EVERY PROFESSIONAL

The entire line of Revolution commercial-grade professional products run on our 60V\* Max Flex-Force Power System\*. Making interchangeability, even more versatile, for any season and any job.



## REVOLUTION 21" HD

Model 22282

- Maintenance Free - No air filters or oil changes
- Large 2.1 bushel bag features an easy-empty design, making quick work of clipping disposal
- Replaceable steel wear plates protect against bottom and side impacts

### 21" HEAVY-DUTY

MODEL / BARE TOOL	22282
DECK SIZE	21" / 53 cm
DECK MATERIAL	Aluminum Alloy
BATTERY*	2 - 7.5 ah, 405 wh (L405) with Rapid Charger
MOTOR	Brushless DC
GRASS CUT IN A SINGLE CHARGE	0.4 acre
RUN TIME <sup>§</sup>	Up to 40 min
CHARGE TIME	130 min with Rapid Charger
DRIVE SYSTEM	Self-Propelled Variable-Speed RWD
CUTTING SYSTEM	Recycler
PUSH BUTTON START	✓
HEIGHT OF CUT	1.0" to 4.5" / 2.5 - 11.4 cm
WEIGHT	99 lbs. / 44.9 kg



**REVOLUTION TURFMASTER® 30" HDX**  
COMING SOON!



## POWER CLEAR® 21" SINGLE-STAGE SNOW BLOWER

Model 39922T

- Bust through heavy, wet snow
- Power Curve technology with commercial-grade paddles
- Power Propel® technology blasts through tough drifts

### 21" POWER CLEAR®

MODEL / BARE TOOL	39922T NEW!
CLEARING WIDTH	21" / 53 cm
CLEARING CAPACITY**	Up to 30 parked cars
SNOW CUT DEPTH	12" / 30.5 cm
THROWING DISTANCE**	Up to 35 feet / 10.6 m
AUGER SYSTEM	Power Curve Self-Propel
AUGER DIAMETER	8.5" / 21.6 cm
HANDLE	Reinforced & Ergonomic
DEFLECTOR	Locking
CHUTE	Mounted Handle Control with High Capacity Chute
TIRES	7" / 17.8 cm
LIGHT	Panoramic LED



## REVOLUTION BACKPACK LEAF BLOWER

Model 66100

- Comfortable, sturdy backpack with integrated handle, battery diagnostics two battery capacity
- Interchangeable arm cannon or power tether
- Powerful blower, 730 CFM at 160 MPH
- Variable speed trigger with turbo boost and cruise control
- Tool only, batteries and chargers sold separately

### BACKPACK LEAF BLOWER

MODEL	66100
BOOST MODE	37 min
HIGH RUN TIME <sup>§</sup>	80 min
PEAK RUN TIME <sup>§</sup>	330 min
WEIGHT (Bare Tool)	17.4 lbs.
CFM	730 CFM
MPH	160 MPH



## REVOLUTION STRING TRIMMER

Model 66110T

- Rugged solid shaft design with 16" cutting width and .095" line
- Bump-feed/easy-load head with increased line capacity and durability
- Rear mounted high efficiency brushless motor
- Variable 2 speed operation
- Tool only, batteries and chargers sold separately

### STRING TRIMMER

MODEL	66110T
HIGH RUN TIME <sup>§</sup>	160 min
PEAK RUN TIME <sup>§</sup>	240 min
WEIGHT (Bare Tool)	10.1 lbs.
RPM	6400/5300



## REVOLUTION HEDGE TRIMMER

Model 66120T

- 26" bar with dual-sided cutting blades and 1.2" cut capacity
- 180° rotating handle for vertical or horizontal cutting
- Blade guard for operator protection
- Blade reverse mode for unsticking jams
- Tool only, batteries and chargers sold separately

### HEDGE TRIMMER

MODEL	66120T
PEAK RUN TIME <sup>§</sup>	600 min
WEIGHT (Bare Tool)	9.2 lbs.
STROKES PER MINUTE	4100/3200



## REVOLUTION BACKPACK

Model 66000T

- Removable battery system with capacity for up to two batteries
- Interchangeable arm cannon or power tether
- Comfortable and sturdy backpack system for all day operation
- Integrated carrying handle
- Onboard LED battery diagnostics
- Powered by any 60V Max\* Flex-Force Battery
- Tool only, batteries and chargers sold separately



## REVOLUTION POWERLINK TETHER

Model 66005

- Removes battery weight from tool to lessen operator fatigue
- Doubles handheld tool battery capacity
- Keeps your backpack power source connected to your handheld tools

## 60V MAX\* 10 AH BATTERY

Model 66810

- 33% more capacity than current largest 60V battery
- 10Ah battery is interchangeable in all Revolution 60V tools
- Easily removable and can be quickly swapped to refuel tools
- Integrated carrying handle
- Increased over-mold for ruggedization and drop resistance
- Weighs 8.2 lbs.



## 60V MAX\* 6-POD CHARGER

Model 66550

- 12 AMP rapid charger
- 6 pod capacity
- Can charge any combination of 60V Flex-Force batteries
- 2 charge modes
  - Sequential rapid mode can charge a single 10 Ah battery in 50 minutes (7.5 Ah in 38 minutes)
  - Standard equal mode slowly brings all batteries up to full charge collectively



\*Battery manufacturer rating = 60V maximum & 54V typical usage. Actual voltage varies with load. <sup>§</sup>Run time varies based on usage conditions. Max run time specs based on light conditions and/or lowest speed settings. <sup>\*\*</sup>Throw distance and clearing capacity will vary with conditions.

# 60V<sup>MAX</sup> BATTERY

**FLEX-FORCE**  
POWER SYSTEM

## It's called Flex-Force for a reason. It's all about flexible power.

With an interchangeable battery capable of commanding over 75 lawn tools, it's the one system you need to finish everything without sacrificing anything.

### RunSmart<sup>®</sup> onboard intelligence optimizes power output and overload protection in real time.

For peak performance in the toughest conditions, RunSmart gives every tool in the Flex-Force line more performance, more runtime, and longer life.

### Innovative "3P" battery stack design delivers big-time.

Giving you 3 times the power, higher max performance, and the ability to push your tools harder, for longer.



**TORO**<sup>®</sup>

60V<sup>MAX</sup>  
**FLEX-FORCE**  
POWER SYSTEM

490-0914 ©2023 The Toro Company All Rights Reserved. Specifications subject to change without notice and without incurring obligation. Products depicted are for demonstration purposes only. Actual products offered for sale may vary in design, required attachments and safety features. \*Battery manufacturer rating = 60V maximum and 54V typical usage. Actual voltage varies with load.