



Pro Force®

TURBINE DEBRIS BLOWER

FEATURES

- 26.5 HP (19.7 kW) Rehlko® Command Pro™ EFI engine :
 - Heavy-duty air cleaner
 - Air-cooled
 - Electronically-governed
- Efficient turbine axial flow fan design
- Wireless Remote Control:
 - Start and stop the engine from the utility vehicle platform for complete operational control
 - 360 degree nozzle rotation in either direction
 - Adjust engine throttle for power through full RPM range of operation
 - Ergonomic weather-resistant design
- Single-piece impact-resistant plastic nozzle
- Fully-enclosed exhaust system
- Rugged construction includes steel trailer frame and sturdy plastic wheel fenders
- Heavy-Duty Trailer & Tow Hitch is adjustable in height and length to accommodate different towing utility vehicles
- Warranty: Two-year or 1,500 hour limited manufacturer's warranty



Chute Angle Indicator



Also available – Groundsmaster® 3200/3300 Pro Force front mount model

A force to be reckoned with.

The Toro® Pro Force® debris blower delivers tremendous air power for fast removal of grass clippings, leaves, aeration cores, or other debris from your golf course, sports field, and maintained turf areas, as well as paved areas such as golf car paths, park trails or parking lots. Operated by a wireless remote control with unmatched functionality, and with design features such as the durable one-piece plastic nozzle, the Pro Force sets a new standard. Experience the Pro Force debris blower—the better way to get your job done.



Pro Force trailer model –
DOT trailer model available



Pro Force®

The Pro Force is a self-contained engine-driven Debris Blower operated with a hand-held wireless RF controller. It utilizes a high-efficiency turbine fan assembly designed to deliver greater air power to clear turf or pavement of leaves, grass clippings, twigs, pine needles or other undesirable debris.



PRO FORCE DEBRIS BLOWER*	
MODEL	44556 - standard blower 44557 - D.O.T. approved trailer 44558 - tethered controller
ENGINE	26.5 HP (19.7 kW) Rehlko® Command Pro™ EFI 747 cc, gas, 2-cylinder, air-cooled, electronically-governed
FUEL CAPACITY	Standard 5 gallon (18.9 liter) tank. Optional 10 gallon (37.8 liter) tank part number 130-4371
FAN DESIGN	High-efficiency, axial flow, turbine fan assembly.
CONTROL	Hand held wireless RF controller provides capability to start and stop the engine, adjust engine throttle up and down for high to low RPM range of operation, and rotate nozzle 360 degrees in either direction. Ergonomic, weather resistant. Note: Model 44558 includes tethered controller and is offered in regions where wireless control is not available.
NOZZLE	Single-piece impact-resistant plastic with 13" outlet diameter.
ROTOR DIAMETER	14" (35.5 cm)
FAN ASSEMBLY DIAMETER	14" (35.5 cm)
WEIGHT	550 lbs. (249.5 kg)
LENGTH	Standard 97" (246 cm) from adjustable tow hitch to nozzle outlet. 18" (45.7 cm) adjustable length for length range of 79"-115" (200.6 - 292.1 cm)
WIDTH	48" (122 cm)
HEIGHT	44" (111.7 cm)
TOW-BEHIND TRAILER	Lawn-tractor style hitch (Category 1). Three hole locations to accommodate varying receiver heights. 44557 features a DOT compliant 2-inch ball hitch.
TIRE SIZE:	20 x 10-8, 4-ply turf tire.
FENDERS	Custom injection molded plastic.
ACCESSORIES	Optional LED light kit model 44559
WARRANTY	Two-year or 1,500 hour limited warranty. See operator's manual for details.

*Specifications and design subject to change without notice. Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. See distributor for details on all warranties.





Pro Force® Attachment – Groundsmaster® 3200/3300

The front mounted Pro Force blower for the GM3200/3300 is driven by the traction unit's implement PTO shaft and is conveniently controlled by the operator from the steering column control pod. Pro Force blowers utilize a high-efficiency turbine fan assembly designed to deliver superior air flow to clear turf or pavement of leaves, grass, clippings, twigs, pine needles or other undesirable debris.



PRO FORCE DEBRIS BLOWER ATTACHMENT FOR GM3200/3300, MODEL 31916*	
POWER SUPPLY	Traction unit standard drive shaft
FAN DESIGN	High-efficiency, axial flow, turbine fan assembly.
CONTROL	PTO Switch on traction unit, Blower Lift on traction unit, Chute Control with rocker switch on Accessory Control POD
NOZZLE	Single-piece impact-resistant plastic with 12.75 inch (32.39 cm) outlet diameter.
ROTOR DIAMETER	14" (35.5 cm)
FAN ASSEMBLY DIAMETER	14" (35.5 cm)
WEIGHT	435 lbs (197.3 kg)
LENGTH	54.5 inches (138.4 cm)
WIDTH	60 inches (152.4 cm) front caster wheel to caster wheel
HEIGHT	48.7 inches (133.7 cm)
GROUND CLEARANCE	9.6 inches (24.38)
TRACTOR MOUNTED	For Groundsmaster 3200/3300 (models 31900, 31901, 31902, 31903)
REQUIRED KITS	Toro Auxiliary Hydraulic Kit 31966 and the Toro Control Kit 31994. For Groundsmaster 3200 models Speed Reduction Kit (144-3587) is required for optimum performance.
WARRANTY	Two-year or 1,500 hour limited warranty. See operator's manual for details.

*Specifications and design subject to change without notice. Products depicted in this literature are for demonstration purposes only. Actual products offered for sale may vary in use, design, required attachments and safety features. See distributor for details on all warranties.

